

SINLOON® LED 燈絲球泡
LED Filament Bulb Lamp

Type: MLL-SQ Series
Power: 3.6W / 6.0W

特點:

光色如傳統烏絲燈泡的黃光
比烏絲燈泡省電逾 >80%
發光效率100Lm/W
光束角達300度與烏絲燈泡相同
採用透明玻璃罩塑膠底座換裝更加安全,光源注目不刺眼,光色柔和省電,使用壽命長達40,000小時.

用途:

主要應用於美觀燈
酒店大堂/酒樓天花燈槽
家居吊燈/掛牆燈/神燈
長明燈/隱蔽燈等...

外型:



☐ Electrical Characteristics (電性)

Model:	Watt	Lm	Lm/W	Color Temp.	Ra	Power Factor	Lamp Base	Cap Color
MLL-SQ-G01	6W	600	100	2800K	>80	>0.5	E27/E26	Golden
MLL-SQ-S02	6W	600	100	2800K	>80	>0.5	E27/E26	Silver
MLL-SQ-W03	6W	600	100	2800K	>80	>0.5	E27/E26	White
MLL-SQ-G04	6W	700	117	6500K	>80	>0.5	E27/E26	Golden
MLL-SQ-S05	6W	700	117	6500K	>80	>0.5	E27/E26	Silver
MLL-SQ-W06	6W	700	117	6500K	>80	>0.5	E27/E26	White
MLL-SQ-W07	3.6W	400	110	2800K	>80	>0.5	E27/E26	White
Input Voltage:	220~240VAC / 60Hz			Illumination Angle:		300°		
Driving Power	Constant current power sup			Working Life:		40,000hrs		

☐ Dimension Package Information (包裝尺寸)

Model:	Dimension			Quantity	Weight
	Lamp Size	Box Size	Carton Size	Pcs	GW
MLL-SQ-G01	Φ60.5x110mm	60.5x60.5x115mm	645x332x260mm	100	7.5Kg
MLL-SQ-S02	Φ60.5x110mm	60.5x60.5x115mm	645x332x260mm	100	7.5Kg
MLL-SQ-W03	Φ60.5x110mm	60.5x60.5x115mm	645x332x260mm	100	7.5Kg
MLL-SQ-G04	Φ60.5x110mm	60.5x60.5x115mm	645x332x260mm	100	7.5Kg
MLL-SQ-S05	Φ60.5x110mm	60.5x60.5x115mm	645x332x260mm	100	7.5Kg
MLL-SQ-W05	Φ60.5x110mm	60.5x60.5x115mm	645x332x260mm	100	7.5Kg
MLL-SQ-W06	Φ60.5x110mm	60.5x60.5x115mm	645x332x260mm	100	7.5Kg

☐ Packing



Lamp Size



Inner Box.



Carton

SINLOON® LED 燈絲燭泡
LED Filament Bulb Lamp

Type: MLL-SZ Series
Power: 1.8W / 3W

特點:
光色如傳統烏絲燈泡的黃光
比烏絲燈泡省電逾 >80%
發光效率110Lm/W
光束角達300度與烏絲燈泡相同
採用透明玻璃罩塑膠底座換裝更加安全,光源注目不刺眼,光色柔和省電,
使用壽命長達40,000小時.

用途:
主要應用於美觀燈
酒店大堂/酒樓天花燈槽
家居吊燈/掛牆燈/神燈
長明燈/隱蔽燈等... ..

外型:



☐ Electrical Characteristics (電性)

Model:	Watt	Lm	Lm/W	Color Temp.	Ra	Power Factor	Lamp Base	Cap Color
MLL-SZ-G01	3W	330	100	2800K	>80	>0.5	E27/E26	Golden
MLL-SZ-S02	3W	330	100	2800K	>80	>0.5	E27/E26	Silver
MLL-SZ-W03	3W	330	100	2800K	>80	>0.5	E27/E26	White
MLL-SZ-G04	3W	360	120	6500K	>80	>0.5	E27/E26	Golden
MLL-SZ-S05	3W	360	120	6500K	>80	>0.5	E27/E26	Silver
MLL-SZ-W06	3W	360	120	6500K	>80	>0.5	E27/E26	White
MLL-SZ-G07	3W	330	110	2800K	>80	>0.5	E14/E12	Golden
MLL-SZ-S08	3W	330	110	2800K	>80	>0.5	E14/E12	Silver
MLL-SZ-W09	3W	330	110	2800K	>80	>0.5	E14/E12	White
MLL-SZ-G10	3W	360	120	6500K	>80	>0.5	E14/E12	Golden
MLL-SZ-S11	3W	360	120	6500K	>80	>0.5	E14/E12	Silver
MLL-SZ-W12	3W	360	120	6500K	>80	>0.5	E14/E12	White
MLL-SZ-W13	1.8W	200	110	2800K	>80	>0.5	E14/E12	White
Input Voltage:	220~240VAC / 60Hz			Illumination Angle:			300°	
Driving Power	Constant current power sup			Working Life:			40,000hrs	


☐ Dimension Package Information (包裝尺寸)

Model:	Dimension			Quantity	Weight
	Lamp Size	Box Size	Carton Size	Pcs	NG
MLL-SZ-G01	Φ35.5x105mm	36x36x112mm	375x190x235mm	100	4.30Kg
MLL-SZ-S02	Φ35.5x105mm	36x36x112mm	375x190x235mm	100	4.30Kg
MLL-SZ-W03	Φ35.5x105mm	36x36x112mm	375x190x235mm	100	4.30Kg
MLL-SZ-G04	Φ35.5x105mm	36x36x112mm	375x190x235mm	100	4.30Kg
MLL-SZ-S05	Φ35.5x105mm	36x36x112mm	375x190x235mm	100	4.30Kg
MLL-SZ-W06	Φ35.5x105mm	36x36x112mm	375x190x235mm	100	4.30Kg
MLL-SZ-G07	Φ35.5x120mm	36x36x130mm	375x190x235mm	100	4.30Kg
MLL-SZ-S08	Φ35.5x120mm	36x36x130mm	395x202x290mm	100	4.45Kg
MLL-SZ-W09	Φ35.5x120mm	36x36x130mm	395x202x290mm	100	4.45Kg
MLL-SZ-G10	Φ35.5x120mm	36x36x130mm	395x202x290mm	100	4.45Kg
MLL-SZ-S11	Φ35.5x120mm	36x36x130mm	395x202x290mm	100	4.45Kg
MLL-SZ-W12	Φ35.5x120mm	36x36x130mm	395x202x290mm	100	4.45Kg
MLL-SZ-W13	Φ35.5x120mm	36x36x130mm	395x202x290mm	100	4.45Kg

☐ Packing



Lamp Size



Inner Box.



Carton

SINLOON® LED 燈絲拉尾泡
LED Filament Bulb Lamp

Type: MLL-SL Series
Watt 1.8W / 3W

特點:
光色如傳統烏絲燈泡的黃光
比烏絲燈泡省電逾 >80%
發光效率110Lm/W
光束角達300度與烏絲燈泡相同
採用透明玻璃罩塑膠底座換裝更加安全,光源注目不刺眼,光色柔和省電,
使用壽命長達40,000小時.

用途:
主要應用於美觀燈
酒店大堂/酒樓天花燈槽
家居吊燈/掛牆燈/神燈
長明燈/隱蔽燈等... ..

外型:




☐ Electrical Characteristics (電性)

Model:	Watt	Lm	Lm/W	Color Temp.	Ra	Power Factor	Lamp Base	Cap Color
MLL-SL-G01	3W	330	100	2800K	>80	>0.5	E14/E12	Golden
MLL-SL-S02	3W	330	100	2800K	>80	>0.5	E14/E12	Silver
MLL-SL-W03	3W	330	100	2800K	>80	>0.5	E14/E12	White
MLL-SL-G04	3W	360	120	6500K	>80	>0.5	E14/E12	Golden
MLL-SL-S05	3W	360	120	6500K	>80	>0.5	E14/E12	Silver
MLL-SL-W06	3W	360	120	6500K	>80	>0.5	E14/E12	White
MLL-SL-W07	1.8W	200	110	2800K	>80	>0.5	E14/E12	White
Input Voltage:				220~240VAC / 60Hz		Illumination Angle:		300°
Driving Power				Constant current power sup		Working Life:		40,000hrs

☐ Dimension Package Information (包裝尺寸)

Model:	Dimension			Quantity	Weight
	Lamp Size	Box Size	Carton Size	Pcs	NG
MLL-SL-G01	Φ35.5x145mm	36x36x152mm	395x197x320mm	100	4.35Kg
MLL-SL-S02	Φ35.5x145mm	36x36x152mm	395x197x320mm	100	4.35Kg
MLL-SL-W03	Φ35.5x145mm	36x36x152mm	395x197x320mm	100	4.35Kg
MLL-SL-G04	Φ35.5x145mm	36x36x152mm	395x197x320mm	100	4.35Kg
MLL-SL-S05	Φ35.5x145mm	36x36x152mm	395x197x320mm	100	4.35Kg
MLL-SL-W06	Φ35.5x145mm	36x36x152mm	395x197x320mm	100	4.35Kg
MLL-SL-W07	Φ35.5x145mm	36x36x152mm	395x197x320mm	100	4.35Kg

☐ Packing



Lamp Size



Inner Box.



Carton

* Others data not in the specification of data, please contact us.

如果你要求的規格不在本規格書裡請與我們聯絡。

※ 美隆照明有限公司產品規格特性參數的改變和更新,不會另行通知。

※ Mayloon Lighting characteristic parameters of electronic product specification changes or updates without prior notice。

SINLOON® LED 燈片球泡
LED Filament Bulb Lamp

Type: MLL-PQ Series
Watt: 1.2W/1.6W

特點:
光色如傳統烏絲燈泡的黃光
比烏絲燈泡省電逾 >80%
發光效率110Lm/W
光束角達300度與烏絲燈泡相同
採用透明玻璃罩塑膠底座換裝更加安全,光源注目不刺眼,光色柔和省電,
使用壽命長達40,000小時.

用途:
主要應用於美觀燈
酒店大堂/酒樓天花燈槽
家居吊燈/掛牆燈/神燈
長明燈/隱蔽燈等... ..

外型:



☐ Electrical Characteristics (電性)

Model:	Watt	Lm	Lm/W	Color Temp.	Ra	Power Factor	Lamp Base	Cap Color
MLL-PQ-W01	1.6W	180	112	2800K	>80	>0.5	E27/E26	White
MLL-PQ-W02	1.6W	210	130	6500K	>80	>0.5	E27/E26	White
MLL-PQ-W03	1.6W	180	112	2800K	>80	>0.5	E14/E12	White
MLL-PQ-W04	1.6W	210	130	6500K	>80	>0.5	E14/E12	White
MLL-PQ-W05	1.2W	130	110	2800K	>80	>0.5	E27/E26	White
MLL-PQ-W06	1.2W	130	110	2800K	>80	>0.5	E14/E12	White
Input Voltage:				220~240VAC / 60Hz		Illumination Angle:		300°
Driving Power				Constant current power sup		Working Life:		40,000hrs

☐ Dimension Package Information (包裝尺寸)

Model:	Dimension			Quantity	Weight
	Lamp Size	Box Size	Carton Size	Pcs	NG
MLL-PQ-W01	Φ50.5x90mm	51x51x97mm	525x269x205mm	100	4.3Kg
MLL-PQ-W02	Φ50.5x90mm	51x51x97mm	525x269x205mm	100	4.3Kg
MLL-PQ-W03	Φ50.5x105mm	51x51x112mm	525x269x235mm	100	4.2Kg
MLL-PQ-W04	Φ50.5x105mm	51x51x112mm	525x269x235mm	100	4.2Kg
MLL-PQ-W05	Φ50.5x90mm	51x51x97mm	525x269x205mm	100	4.3Kg
MLL-PQ-W06	Φ50.5x105mm	51x51x112mm	525x269x235mm	100	4.2Kg

* Others data not in the specification of data, please contact us.

如果你要求的規格不在本規格書裡請與我們聯絡.

☐ Packing Lamp Size

Inner Box.

Carton



Carton:



SINLOON® LED 燈片燭泡/拉尾泡
LED Filament Bulb Lamp

Type: MLL-PL/PZ Series

Watt 1.2W/1.6W

特點:
光色如傳統烏絲燈泡的黃光
比烏絲燈泡省電逾 >80%
發光效率110Lm/W
光束角達300度與烏絲燈泡相同
採用透明玻璃罩塑膠底座換裝更加安全,光源注目不刺眼,光色柔和省電,
使用壽命長達40,000小時。

用途:
主要應用於美觀燈
酒店大堂/酒樓天花燈槽
家居吊燈/掛牆燈/神燈
長明燈/隱蔽燈等... ..

外型:



☐ Electrical Characteristics (電性)

Model:	Watt	Lm	Lm/W	Color Temp.	Ra	Power Factor	Lamp Base	Cap Color
MLL-PZ-W01	1.6W	180	112	2800K	>80	>0.5	E27/E26	White
MLL-PZ-W02	1.6W	210	130	6500K	>80	>0.5	E27/E26	White
MLL-PZ-W03	1.6W	180	112	2800K	>80	>0.5	E14/E12	White
MLL-PZ-W04	1.6W	210	130	6500K	>80	>0.5	E14/E12	White
MLL-PZ-W05	1.2W	130	110	2800K	>80	>0.5	E27/E26	White
MLL-PZ-W06	1.2W	130	110	2800K	>80	>0.5	E14/E12	White
MLL-PL-W01	1.6W	180	112	2800K	>80	>0.5	E14/E12	White
MLL-PL-W02	1.6W	210	130	6500K	>80	>0.5	E14/E12	White
MLL-PL-W03	1.2W	130	110	2800K	>80	>0.5	E14/E12	White
Input Voltage:	220~240VAC / 60Hz			Illumination Engle:			300°	
Driving Power	Constant current power sup			Working Life:			40,000hrs	

☐ Dimension Package Information (包裝尺寸)

Model:	Dimension			Quantity	Weight
	Lamp Size	Box Size	Carton Size	Pcs	NG
MLL-PZ-W01	Φ35.5x105mm	36x36x112mm	375x190x235mm	100	3.75Kg
MLL-PZ-W02	Φ35.5x105mm	36x36x112mm	375x190x235mm	100	3.75Kg
MLL-PZ-W03	Φ35.5x120mm	36x36x127mm	380x190x270mm	100	3.65Kg
MLL-PZ-W04	Φ35.5x120mm	36x36x127mm	380x190x270mm	100	3.65Kg
MLL-PZ-W05	Φ35.5x105mm	36x36x112mm	375x190x235mm	100	3.75Kg
MLL-PZ-W06	Φ35.5x120mm	36x36x130mm	380x190x270mm	100	3.65Kg
MLL-PL-W01	Φ35.5x145mm	36x36x152mm	375x195x315mm	100	3.55Kg
MLL-PL-W02	Φ35.5x145mm	36x36x152mm	375x195x315mm	100	3.55Kg
MLL-PL-W03	Φ35.5x145mm	36x36x152mm	375x195x315mm	100	3.55Kg

* Others data not in the specification of data, please contact us.

如果你要求的規格不在本規格書裡請與我們聯絡。

☐ Packing Lamp Size

Inner Box.

Carton



※ 美隆照明有限公司產品規格特性參數的改變和更新,不會另行通知。

※ Mayloon Lighting characteristic parameters of electronic product specification changes or updates without prior notice。